## **AMENDMENTS TO THE CLAIMS:**

Please amend Claim 7 as follows:

## 1 - 6. (Cancelled)

- 7. (Currently Amended) An amphiphilic block polymer comprising:
- (a) a hydrophilic block segment having a repeating unit structure represented by the general formula (4):

$$\begin{array}{c} -(CH_{2}CH)-\\ \\ [[l]]\\ \hline O(AO)_{m}B(D)_{n}(COOR)_{p} \end{array} \tag{4}$$

$$\begin{array}{c|c}
-(CH_2CH)-\\
& \\
O(AO)_mB(D)_n(COOR)
\end{array} (4)$$

wherein:

A represents a linear alkylene group of 1 to 15 carbon atoms;

m represents 0 or 1;

B represents a single bond or an alkylene group of 1 to 20 carbon atoms;

each D represents independently an aromatic ring structure in which at least one hydrogen atom attached to the ring is displaced by a fluorine atom;

n represents an integer of 1 to 10; and

## p represents 1; and

R represents an alkyl group or an aromatic ring structure, and

- (b) a hydrophobic block segment.
- 8. (Previously Presented) The amphiphilic block polymer according to claim 7, further comprising another hydrophilic block segment.

## 9-13. (Cancelled)

- 14. (Previously Presented) The amphiphilic block polymer according to claim 7, wherein four hydrogen atoms attached to the aromatic ring structure represented by D in the general formula (4) are each displaced by fluorine atoms.
- 15. (Previously Presented) The amphiphilic block polymer according to claim 7, wherein the hydrophobic block segment has a repeating unit structure represented by the general formula (8):

$$\begin{array}{c|c} \hline (-CH_2 - CH) \\ \hline \\ OR^1 \end{array} \tag{8}$$

wherein:

 $R^1$  is selected from the group consisting of a linear, branched, or cyclic alkyl groups of 1 to 18 carbon atoms, -Ph, -Pyr, -Ph-Ph, -Ph-Pyr, -(CH( $R^5$ )-CH( $R^6$ )-O) $_p$ -R $^7$ , and -(CH $_2$ ) $_m$ -(O) $_n$ -R $^7$ , and hydrogen atom(s) in the aromatic ring may be replaced by linear or

branched alkyl group(s) of 1 to 4 carbon atoms, and carbon atom(s) in the aromatic ring may be replaced by nitrogen atom(s), wherein:

```
p represents an integer of 1 to 18;
m represents an integer of 1 to 36;
```

n represents 0 or 1;

each of R<sup>5</sup> and R<sup>6</sup> represents independently a hydrogen atom or -CH<sub>3</sub>; and

R<sup>7</sup> is selected from the group consisting of a hydrogen atom, a linear, branched, or cyclic alkyl group of 1 to 18 carbon atoms, -Ph, -Pyr, -Ph-Ph, -Ph-Pyr, -CHO, -CH<sub>2</sub>CHO, -CO-CH=CH<sub>2</sub>, -CO-C(CH<sub>3</sub>)=CH<sub>2</sub> and CH<sub>2</sub>COOR<sub>8</sub>, and when R<sup>7</sup> is other than a hydrogen atom, hydrogen atom(s) attached to carbon atom(s) in R<sup>7</sup> may be replaced by a linear or branched alkyl group of 1 to 4 carbon atoms, -F, -Cl, or -Br, and carbon atom(s) in the aromatic ring may be replaced by nitrogen atom(s), wherein:

R<sup>8</sup> represents a hydrogen atom or an alkyl group of 1 to 5 carbon atoms;

Ph represents a phenyl group; and

Pyr represents a pyridyl group.